

INDEX TO VOLUME 6

Subjects

- Abdomen, vascular disorders, sonography in the emergency department, 606
- Abdominal injury
 - blunt trauma, open versus closed peritoneal lavage, 352-356, 367-371
 - splenic rupture, 28-31
- Abdominal pain
 - intestinal nonrotation, 235-237
 - pacemaker electrode perforation of myocardium, 180-184
- Acid-base disorders, lactic acidosis, theophylline overdose and, 417-418
- Abscess, glossal, 406-408
- Accessory conduction pathway, electrocardiography, 434-436
- Acetone
 - concentrations, isopropyl alcohol ingestion and, 38-40
 - isopropanol overdose, 297-299
- Acetonemia, isopropyl alcohol ingestion and, 38-40
- Acetonuria, isopropyl alcohol ingestion and, 38-40
- Acetylcysteine, N-, interference with guaiac test, 474-480
- Acidosis, formic acid poisoning induction of, 286-290
- Acquired immune deficiency syndrome, CNS toxoplasmosis in, 588-592
- Adrenaline
 - see also Epinephrine
 - pheochromocytoma presenting as shock and, 44-47
- ADSOL, red cells stored in, compatibility with intravenous solutions, 162-164
- Adult respiratory distress syndrome, cyclic antidepressant overdose and, 8
- Aeromedical emergencies, 216-226
- Aggressive patient, rapid tranquilization, 313-320
- Air ambulance
 - aeromedical transport, 216-226
 - rural emergency departments, 384-386
- Air travel, commercial, medical aspects of, 216-226
- Airway
 - obstruction, malignant, YAG laser under helium-oxygen administration, 294-296
 - upper, obstruction, presenting as new-onset wheezing, 173-176
- Alcohol
 - see also Ethanol
 - ingestion, serum osmolality in, 256-259
 - isopropyl, subtoxic dose, acetonemia; shacetoneuria following, 38-40
- American Association of Poison Control Centers, 1988 annual report, 495-545
- Aminophylline, therapy, emergency department, 395-401
- Amitriptyline, overdose, 6-7
- Amoxapine, overdose, 6-7
- Analgesia, hypnosis in emergency department, 238-242
- Analgesics
 - emergency department use of, 155-161
 - oligoanalgesia, emergency department, 620-623
- Anesthesia, hypnosis in emergency department, 238-242
- Aneurysm
 - see also specific type
 - popliteal artery, 83
- Angina, Prinzmetal, electrocardiography, 612-615
- Angiography, popliteal artery, 84-86
- Anticholinergic poisoning syndrome, after benzotropine overdose, 199-202
- Anticonvulsant drugs
 - cyclic antidepressant overdose seizures, 8
 - phenytoin overdose, 61-67
- Antidepressants, see also Cyclic antidepressants
- Appendectomy, appendiceal stump abscess after, 411-412
- Appendicitis
 - acute, splenic rupture and, 28-31
 - appendiceal stump abscess after appendectomy, 411-412
 - morbidity, gender and barium enema influences on, 253-255
- Arachnidism, cutaneous, spider bites, 309-312
- Arrhythmias
 - cyclic antidepressant toxicity, 9-10
 - ventricular, during rectal examination, 57-60
- Arterial insufficiency, Doppler ultrasound, hand-held, emergency department, 209-215
- Arterial saturation, pulse oximetry, 422-425
- Asthma
 - computer optimization of aminophylline therapy, emergency department, 395-401
 - wheezing, identification with pulse oximetry, children, 567-570
- Asystole, pediatric, prehospital countershock treatment, 571-575
- Atrial fibrillation, electrocardiography, 434-436
- Atrioventricular block, advanced, ECG, 88-90
- Auditory canal, external, concrete impaction, 32-33
- Autonomic nervous system, atrioventricular conduction and, ECG, 88-90
- Barium enema, morbidity and, acute appendicitis, 253-255
- β -Blocker therapy, chronic, cardiac tamponade and malignancy, 291-293
- Benzotropine, overdose, prolonged anticholinergic toxicity after, 199-202
- Bicycle injury, fatality from rearview mirror, 300-301
- Biliary tract, sonography, emergency department, 606
- Bleeding, complications, after streptokinase infusion, 185-186
- Blood, occult, guaiac card tests for, 474-480
- Blood pressure, high, detection and follow-up in emergency department, 16-20
- Bronchitis, high-altitude, 426-433
- Burns, caustic, concrete-cement, 32
- Calcium channel blockers
 - massive verapamil ingestion, 624-631
 - potentiation of cocaine toxicity, 464-468
- Camphor, ingestion, toxic effects, 41-43
- Carbon dioxide, end-tidal, experimental cardiac arrest, 378-383
- Carbon monoxide, poisoning, severe storm, 598-604
- Cardiac arrest
 - automatic external defibrillators, use by lay persons, 143-149
 - cervical spine injury presenting as, 54-56
 - cyclic antidepressant toxicity, 9-10
 - experimental, intra-aortic balloon pump during, 378-383
 - perimortem cesarean section and, 489-494
 - sudden death, emergency medical services and defibrillation effects on survival, 68-82
- Cardiac tamponade, metastatic carcinoma and, chronic β -blocker therapy complicating, 291-293
- Cardiopulmonary resuscitation, cerebral blood flow during, norepinephrine versus epinephrine effects, 278-282
- Cardiovascular complications, antidepressant overdose and seizures, 7-8
- Catecholamines, pheochromocytoma presenting as shock and, 44-47
- Cathartics, magnesium toxicity induced by, management of theophylline poisoning, 34-37

INDEX TO VOLUME 6

Subjects

- Abdomen, vascular disorders, sonography in the emergency department, 606
- Abdominal injury
 - blunt trauma, open versus closed peritoneal lavage, 352-356, 367-371
 - splenic rupture, 28-31
- Abdominal pain
 - intestinal nonrotation, 235-237
 - pacemaker electrode perforation of myocardium, 180-184
- Acid-base disorders, lactic acidosis, theophylline overdose and, 417-418
- Abscess, glossal, 406-408
- Accessory conduction pathway, electrocardiography, 434-436
- Acetone
 - concentrations, isopropyl alcohol ingestion and, 38-40
 - isopropanol overdose, 297-299
- Acetonemia, isopropyl alcohol ingestion and, 38-40
- Acetonuria, isopropyl alcohol ingestion and, 38-40
- Acetylcysteine, N-, interference with guaiac test, 474-480
- Acidosis, formic acid poisoning induction of, 286-290
- Acquired immune deficiency syndrome, CNS toxoplasmosis in, 588-592
- Adrenaline
 - see also Epinephrine
 - pheochromocytoma presenting as shock and, 44-47
- ADSOL, red cells stored in, compatibility with intravenous solutions, 162-164
- Adult respiratory distress syndrome, cyclic antidepressant overdose and, 8
- Aeromedical emergencies, 216-226
- Aggressive patient, rapid tranquilization, 313-320
- Air ambulance
 - aeromedical transport, 216-226
 - rural emergency departments, 384-386
- Air travel, commercial, medical aspects of, 216-226
- Airway
 - obstruction, malignant, YAG laser under helium-oxygen administration, 294-296
 - upper, obstruction, presenting as new-onset wheezing, 173-176
- Alcohol
 - see also Ethanol
 - ingestion, serum osmolality in, 256-259
 - isopropyl, subtoxic dose, acetone; shacetoneuria following, 38-40
- American Association of Poison Control Centers, 1988 annual report, 495-545
- Aminophylline, therapy, emergency department, 395-401
- Amitriptyline, overdose, 6-7
- Amoxapine, overdose, 6-7
- Analgesia, hypnosis in emergency department, 238-242
- Analgesics
 - emergency department use of, 155-161
 - oligoanalgesia, emergency department, 620-623
- Anesthesia, hypnosis in emergency department, 238-242
- Aneurysm
 - see also specific type
 - popliteal artery, 83
- Angina, Prinzmetal, electrocardiography, 612-615
- Angiography, popliteal artery, 84-86
- Anticholinergic poisoning syndrome, after benzotropine overdose, 199-202
- Anticonvulsant drugs
 - cyclic antidepressant overdose seizures, 8
 - phenytoin overdose, 61-67
- Antidepressants, see also Cyclic antidepressants
- Appendectomy, appendiceal stump abscess after, 411-412
- Appendicitis
 - acute, splenic rupture and, 28-31
 - appendiceal stump abscess after appendectomy, 411-412
 - morbidity, gender and barium enema influences on, 253-255
- Arachnidism, cutaneous, spider bites, 309-312
- Arrhythmias
 - cyclic antidepressant toxicity, 9-10
 - ventricular, during rectal examination, 57-60
- Arterial insufficiency, Doppler ultrasound, hand-held, emergency department, 209-215
- Arterial saturation, pulse oximetry, 422-425
- Asthma
 - computer optimization of aminophylline therapy, emergency department, 395-401
 - wheezing, identification with pulse oximetry, children, 567-570
- Asystole, pediatric, prehospital countershock treatment, 571-575
- Atrial fibrillation, electrocardiography, 434-436
- Atrioventricular block, advanced, ECG, 88-90
- Auditory canal, external, concrete impaction, 32-33
- Autonomic nervous system, atrioventricular conduction and, ECG, 88-90
- Barium enema, morbidity and, acute appendicitis, 253-255
- β -Blocker therapy, chronic, cardiac tamponade and malignancy, 291-293
- Benzotropine, overdose, prolonged anticholinergic toxicity after, 199-202
- Bicycle injury, fatality from rearview mirror, 300-301
- Biliary tract, sonography, emergency department, 606
- Bleeding, complications, after streptokinase infusion, 185-186
- Blood, occult, guaiac card tests for, 474-480
- Blood pressure, high, detection and follow-up in emergency department, 16-20
- Bronchitis, high-altitude, 426-433
- Burns, caustic, concrete-cement, 32
- Calcium channel blockers
 - massive verapamil ingestion, 624-631
 - potentiation of cocaine toxicity, 464-468
- Camphor, ingestion, toxic effects, 41-43
- Carbon dioxide, end-tidal, experimental cardiac arrest, 378-383
- Carbon monoxide, poisoning, severe storm, 598-604
- Cardiac arrest
 - automatic external defibrillators, use by lay persons, 143-149
 - cervical spine injury presenting as, 54-56
 - cyclic antidepressant toxicity, 9-10
 - experimental, intra-aortic balloon pump during, 378-383
 - perimortem cesarean section and, 489-494
 - sudden death, emergency medical services and defibrillation effects on survival, 68-82
- Cardiac tamponade, metastatic carcinoma and, chronic β -blocker therapy complicating, 291-293
- Cardiopulmonary resuscitation, cerebral blood flow during, norepinephrine versus epinephrine effects, 278-282
- Cardiovascular complications, antidepressant overdose and seizures, 7-8
- Catecholamines, pheochromocytoma presenting as shock and, 44-47
- Cathartics, magnesium toxicity induced by, management of theophylline poisoning, 34-37

U·M·I

INCORRECT VOLUME NUMBER, SHOULD READ VOLUME 7.

- Catheterization, Doppler ultrasound, radial artery cannulation guided by, 260-262
- Central nervous system, toxoplasmosis, with AIDS, 588-592
- Cerebral blood flow, during CPR, norepinephrine versus epinephrine effects, 278-282
- Cervical spine injury
 - blunt head trauma and, 139-142
 - masquerading as medical emergency, 54-56
- Cervical vertebrae, cervical spine injury presenting as medical emergency, 54-56
- Cesarean section, perimortem, 489-494
- Charcoal
 - activated
 - interference with guaiac test, 474-480
 - management of theophylline poisoning, 34-37
- Chemical restraints, rapid tranquilization of violent patient, 313-320
- Chest pain
 - atypical, thallium myocardial scanning in emergency department, 321-328
 - suspected myocardial infarction and, 372-377
- Children
 - asystole, prehospital countershock treatment, 571-575
 - camphor ingestion, 41-43
 - chewable iron supplement overdose, abdominal radiographs in, 459-463
 - emergency management, computerized guidelines, 91-96
 - endotracheal intubation, paramedics' performance of, 364-366
 - ethanol poisoning, 283-285
 - Guillain-Barré syndrome, 177-179
 - infants, predictors of bacterial diarrhea in, 469-473
 - status epilepticus, rectal diazepam in, 168-172
 - topical minoxidil overdose, severe toxicity from, 419-421
 - wheezing, identification with pulse oximetry, 567-570
- Child-resistant closures, topical minoxidil, ingestion and severe toxicity, 419-421
- Choriocarcinoma, rupture of hepatic masses from, massive hemoperitoneum following, 196-198
- Circulation time, experimental cardiac arrest, intra-aortic balloon pump during, 378-383
- Clinical characteristics, emergency department, the Netherlands, 632-639
- Clinical prediction, bacterial diarrhea, infants, 469-473
- Cocaine, toxicity, potentiation with calcium channel blockers, 464-468
- Colovesical fistula, detection, emergency department, 191-195
- Coma, cyclic antidepressant toxicity, 9-10
- Communication, improvement, FAX machine, 203-208
- Community health workers, emergency department, detection and follow-up of high blood pressure, 16-20
- Compression bandage, coral snake envenomation, without visible fang marks, 402-405
- Computers
 - emergency management, pediatric and adult, 91-96
 - optimization of aminophylline therapy, emergency department, 395-401
- Continuous positive airway pressure, renal failure patient, 336-339
- Coral snake, envenomation, without visible fang marks, 402-405
- Coronary artery
 - spasm
 - electrocardiography, 612-615
 - intravenous epinephrine overdose and, 485-488
- Countershock, prehospital treatment, pediatric asystole, 571-575
- CPR, see Cardiopulmonary resuscitation
- Crotalid venoms, topical ophthalmic exposure, 307-308
- Cyanide, poisoning, 437-440
- Cyclic antidepressant drugs
 - see also specific drug overdose, seizures due to, 5-10
- Cyclic antidepressants, see Antidepressant overdose
- Cystic adventitial disease, lower extremity ischemia, 85-86
- Defibrillation, influences on sudden cardiac death, 68-82
- Defibrillators, automatic external, training of lay persons, 143-149
- Demerol, antagonistic effects, usage in emergency department, 155-161
- Demography, emergency department, the Netherlands, 632-639
- Desipramine, overdose, 6-7
- Dextrose, concrete impaction of auditory canal, 32-33
- Diaphragm, pacing, pacemaker electrode perforation of myocardium, 180-184
- Diarrhea, bacterial, predictors of, infant, 469-473
- Diazepam, rectal, pediatric status epilepticus, 169-172
- Differential diagnosis, high-altitude pulmonary edema, 426-433
- Diltiazem, potentiation of cocaine toxicity, 464-468
- Dimethylaminoethanol, interference with guaiac test, 474-480
- Disaster planning, severe storm, emergency health impact of, 598-604
- Doppler ultrasound, see Ultrasonography
- Doxepin, overdose, 6-7
- Drug administration, rectal diazepam, pediatric status epilepticus, 169-172
- Drug overdose
 - benztropine, anticholinergic toxicity after, 199-202
 - chewable iron supplement, abdominal radiographs in, 459-463
 - epinephrine, intravenous, coronary artery spasm and, 485-488
 - isopropanol, 297-299
 - massive verapamil ingestion, 624-631
 - phenytoin, 61-67
 - theophylline, lactic acidosis in, 417-418
 - topical minoxidil, 419-421
- Drug therapy, high-altitude pulmonary edema, 426-433
- Dysesthesia, painful, Guillain-Barré syndrome, 177-179
- ECG, see Electrocardiogram
- Elderly patients
 - increased pedestrian mortality, 387-390
 - tetanus immunization, emergency department, 563-566
- Electrocardiography
 - coronary artery disease, 612-615
 - leads, atrioventricular block, 88-90
- Embolectomy, pulmonary, 593-597
- Embryo transfer, hemorrhagic shock, unsuspected heterotopic pregnancy, 49-53
- Emergency department
 - cesarean section, perimortem, 489-494
 - clinical and demographic characteristics, the Netherlands, 632-639
 - colovesical fistula detection in, 191-195
 - evaluation of chest pain, thallium myocardial scanning, 321-328
 - hard-held Doppler ultrasonography use in, 209-215
 - high blood pressure, detection and follow-up, 16-20
 - hypnosis in, 238-242
 - illness related to smoking, analysis of, 187-190
 - oligoanalgesia, 620-623
 - opiate-induced sedation use in, 155-161
 - pulse oximetry in, 422-425
 - rural, helicopter use, 384-386
 - sonography, 605-611
 - stroke patient evaluation, before pharmacologic therapy, 11-15
 - tetanus immunization, 563-566
 - use of observation units, survey in the U. S., 576-580
- Emergency medical services
 - automatic external defibrillators, use by lay persons, 143-149

- influences on sudden cardiac death, 68-82
- pediatric and adult, computerized guidelines, 91-96
- Emergency medical technicians
 - influences on sudden cardiac death, 68-82
 - methods of testing for triage skills, comparison, 1-4
- Emesis, ipecac-induced, knee-chest position and, 267-270
- EMT, *see* Emergency medical technicians
- Encephalopathy, anoxic, cyclic antidepressant overdose and, 8
- Enzyme immunoassay, coral snake envenomation, without visible fang marks, 402-405
- Epap mask, high-altitude pulmonary edema, 426-433
- Epidemiology, aeromedical illness, 216-226
- Epididymis, blunt trauma, 227-234
- Epinephrine
 - see also* Adrenaline
 - intravenous overdose, coronary artery spasm and, 485-488
 - norepinephrine versus, during CPR, 278-282
 - pheochromocytoma presenting as shock and, 44-47
- Ethanol
 - see also* Alcohol
 - poisoning, child, survival, 283-285
- Ethylene glycol, ingestion, serum osmolality in, 256-259
- Eye injuries, rattlesnake venom, 307-308
- Facsimile machine (FAX), improving medical communications, 203-208
- Fecaluria, detection of colovesical fistula and, emergency department, 191-195
- Fertilization, in vitro, hemorrhagic shock in unsuspected heterotopic pregnancy, 49-53
- Fever, temperature measurement, oral versus rectal, 391-394
- Fibrillation
 - ventricular
 - during rectal examination, 57-60
 - use of automatic external defibrillators by lay persons, 143-149
- Formic acid, poisoning, hemolytic activity, 286-290
- Freezing point depression, ingestions of volatile substances, 256-259
- Gamete intrafallopian transfer, alternative to in vitro fertilization;shembryo transfer, 52
- Gastroenteritis, bacterial diarrhea, predictors of, infants, 469-473
- Gastrointestinal bleeding, guaiac tests, substances that interfere with, 474-480
- Gastrointestinal dialysis, activated charcoal, magnesium toxicity induced by, 34-37
- Gender, morbidity and, acute appendicitis, 253-255
- Geriatric patients, *see* Elderly patients
- Guaiac, card test, substances that interfere with, 474-480
- Guillain-Barré syndrome, postural guarding and hypertension as initial manifestation of, 177-179
- Head injury, blunt trauma, cervical spine injuries and, 139-142
- Heart, sonography, emergency department, 606
- Heart attack, thallium scanning, evaluation of chest pain, 321-328
- Heart disease
 - cardiac arrest, *see* Cardiac arrest
 - sudden cardiac death, *see* Sudden cardiac death
- Heat stroke, iced peritoneal lavage, 616-619
- Helicopter, rural emergency departments, 384-386
- Hemodialysis
 - camphor ingestion and, 41-43
 - renal failure patient, pulmonary edema and, 336-339
- Hemolysis, formic acid poisoning induction of, 286-290
- Hemoperitoneum, spontaneous, from rupture of hepatic masses, 196-198
- Hemophilia, splenic rupture and, 28-31
- Hemophilus parainfluenzae*, glossal abscess, 406-408
- Hemorrhage, neurological manifestation, myelogenous leukemia, 481-484
- Hemorrhagic shock
 - heterotopic pregnancy, in vitro fertilization patient, 49-53
 - prehospital management, intravenous fluid therapy, 357-363
- Hepatitis, viral, splenic rupture and, 28-31
- Holding units, survey in the U.S., 576-580
- Human chorionic gonadotropin, levels, unsuspected choriocarcinoma and, 196-198
- Hydrostatic mechanism, versus permeability mechanism, pulmonary edema, 426-433
- Hypertension
 - pheochromocytoma and, 44-47
 - postural guarding and, Guillain-Barré syndrome, 177-179
- Hyperthermia, iced peritoneal lavage, 616-619
- Hypnosis, emergency department, 238-242
- Hypoanalgesia, emergency department, 238-242
- Hypoanesthesia, emergency department, 238-242
- Hypokalemia, severe, thyrotoxic periodic paralysis, 584-587
- Hypotension
 - cyclic antidepressant toxicity, 9-10
 - pheochromocytoma and, 44-47
- Hypothenar hammer syndrome, bilateral, digital ischemia, 302-306
- Hypoxia, hypobaric, 426-433
- Imipramine, overdose, 6-7
- Immunization, tetanus, emergency department patients, 563-566
- Infant, bacterial diarrhea, clinical prediction of, 469-473
- Injection injury, high-pressure water, 165-167
- Injury patterns, motor vehicle, safety restraint laws and, 271-277
- Interhospital transfer, helicopter, rural emergency departments, 384-386
- Intestinal nonrotation, acute presentation, 235-237
- Intra-aortic balloon pump, hemodynamic effects, experimental cardiac arrest, 378-383
- Intrauterine device, sonography, emergency department, 606
- Intravenous solutions, ADSOL-stored red cell compatibility with, 162-164
- Intravenous therapy, hemorrhagic shock, 357-363
- Intubation, endotracheal, paramedics' performance of, pediatric, 364-366
- Ipecac, emesis induced by, knee-chest position and, 267-270
- Iron, chewable supplements, overdose, children, x-rays in, 459-463
- Irrigation, concrete impaction of auditory canal, 32-33
- Ischemia
 - digital, hypothenar hammer syndrome, 302-306
 - lower extremity, 83-87
 - silent, presence or absence of chest pain, 372-377
- Isopropanol, overdose, 297-299
- Jaw, dislocated, diagnosis and treatment, 329-335
- Knee-chest position, ipecac-induced emesis, 267-270
- Lactic acidosis, theophylline overdose and, 417-418
- Lavage
 - peritoneal
 - blunt abdominal trauma, 352-356, 367-371
 - iced, heat stroke, 616-619
- Leukemia
 - acute myelogenous, neurological manifestations as initial presentation, 481-484
 - splenic rupture and, 28-31
- Limb leads, electrocardiography, 612-615

- Liquids, ingestion, effect on oral, rectal, and tympanic membrane-derived temperature, 150-154
- Liver, metastases, rupture, hemoperitoneum from, 196-198
- Locked-in syndrome, 581-583
- Loxoscelism, necrotic arachnidism, 309-312
- Lung cancer, YAG laser, under helium-oxygen administration, 294-296
- Lymphoma, splenic rupture and, 28-31

- Magnesium, toxicity, cathartic-induced, 34-37
- Mandible, dislocated, diagnosis and treatment, 329-335
- Maprotilene, overdose, 6-7
- Marijuana, pheochromocytoma presenting as shock and, 44-47
- Mastoiditis, coalescent, emergency presentation, 413-416
- Medical records, improving communication, FAX machine, 203-208
- Meningeal neoplasms, neurological manifestations of, 481-484
- Methanol, ingestion, serum osmolality in, 256-259
- Methemoglobinemia, cyanide poisoning, 437-440
- Minoxidil, topical, ingestion of, severe toxicity, 419-421
- Mononucleosis, infectious, splenic rupture and, 28-31
- Mortality, pedestrian, elderly patients, 387-390
- Motorcycle injury, fatality from rearview mirror, 300-301
- Motor vehicle injury
 - motorcycle, fatality from rearview mirror, 300-301
 - safety restraint laws and, 271-277
- Moulage, testing EMT triage skills, 1-4
- Myocardial infarction
 - acute, presence or absence of chest pain, 372-377
 - during rectal examination, 57-60
 - splenic rupture and, 28-31
 - thallium scanning, evaluation of chest pain, 321-328
- Myocardium
 - perforation, pacemaker electrode, 180-184
 - thallium scanning, evaluation of chest pain, 321-328

- Nalmefene, antagonistic effects, usage in emergency department, 155-161
- Naloxone, antagonistic effects, usage in emergency department, 155-161
- Narcotics, oligoanalgesia, emergency department, 620-623
- Natural disaster, severe storm, emergency health impact of, 598-604
- Necrotic arachnidism, brown recluse spider bites, 309-312
- Nervous system, acute myelogenous leukemia presentation, 481-484
- Nifedipine, potentiation of cocaine toxicity, 464-468
- Noradrenaline, pheochromocytoma presenting as shock and, 44-47
- Norepinephrine
 - epinephrine versus, during CPR, 278-282
 - pheochromocytoma presenting as shock and, 44-47
- Nortriptyline, overdose, 6-7

- Observation beds, survey in the U.S., 576-580
- Observation units, survey in the U.S., 576-580
- Obstruction, tracheal, presenting as new-onset wheezing, 173-176
- Occult fracture, cervical spine injury presenting as medical emergency, 54-56
- Oligoanalgesia, emergency department, 620-623
- Opiates, antagonistic effects, usage in emergency department, 155-161
- Osteomyelitis, cervical spine injury presenting as, 54-56
- Otitis media, coalescent mastoiditis, emergency presentation, 413-416
- Overdose
 - cyclic antidepressant, seizures due to, 5-10

- Oxygen, saturation, identification of wheezing with pulse oximetry, children, 567-570
- Oxygen therapy, high-altitude pulmonary edema, 426-433

- Pacemaker
 - bichambered, electrocardiography, 434-436
 - malfunction, electrode perforation of myocardium, 180-184
- Pain, oligoanalgesia, emergency department, 620-623
- Paralysis, periodic, severe hypokalemia in, 584-587
- Patient transfer, improving communication, FAX machine, 203-208
- Pedestrian, mortality, elderly patients, 387-390
- Pedestrian injuries, fatality from rearview mirror, 300-301
- Pediatric emergency medicine, see Children; Emergency medical services
- Perinatology, perimortem cesarean section, 489-494
- Peritoneal lavage
 - iced, heat stroke, 616-619
 - open versus closed, blunt abdominal trauma, 352-356, 367-371
- Peritonitis, appendiceal stump abscess, 10 years after appendectomy, 411-412
- Pharmacokinetics
 - benztropine, anticholinergic toxicity after, 199-202
 - isopropanol overdose, 297-299
 - optimization of aminophylline therapy, emergency department, 395-401
 - rectal diazepam, pediatric status epilepticus, 169-172
- Pharmacologic therapy, stroke patient, evaluation in emergency department and, 11-15
- Pharmacology, rectal diazepam, pediatric status epilepticus, 169-172
- Phenytoin, overdose, 61-67
 - signs and symptoms, 64-65
- Pheochromocytoma, presenting as shock, 44-47
- Phrenic nerve, paralysis, after streptokinase infusion, 185-186
- Physostigmine, benztropine overdose and, 199-202
- Pneumaturia, detection of colovesical fistula and, emergency department, 191-195
- Pneumonia
 - coma and, cervical spine injury presenting as, 54-56
 - high-altitude pulmonary edema, 426-433
- Pneumonitis, aspiration, cyclic antidepressant overdose and, 8
- Poisoning
 - 1988 annual report of American Association of Poison Control Centers National Data Collection System, 495-545
 - carbon monoxide, severe storm, 598-604
 - chewable iron supplements, abdominal radiographs in, 459-463
 - cyanide, 437-440
 - ethanol, child, survival, 283-285
 - formic acid, hemolytic activity, 286-290
 - massive verapamil ingestion, 624-631
- Pontine lesions, locked-in syndrome, 581-583
- Popliteal artery aneurysm, lower extremity ischemia, 83
- Popliteal artery entrapment, lower extremity ischemia, 84
- Pregnancy
 - cesarean section, perimortem, 489-494
 - ectopic
 - in vitro fertilization and, 50
 - splenic rupture and, 28-31
 - heterotopic, in vitro fertilization patient, 49-53
 - interstitial, in vitro fertilization and, 50
 - sonography, emergency department, 606
- Prehospital care
 - countershock treatment, pediatric asystole, 571-575
 - endotracheal intubation, pediatric, paramedics' performance of, 364-366
 - intravenous therapy, hemorrhagic shock, 357-363

- Propranolol, chronic therapy, cardiac tamponade and malignancy, 291-293
- Psychiatry, emergency, rapid tranquilization of violent patient, 313-320
- Pulmonary edema
 high-altitude, noncardiogenic, 426-433
 renal failure patient, 336-339
- Pulmonary embolism, 426-433
 massive, 593-597
 splenic rupture and, 28-31
- Pulse oximetry
 emergency department, 422-425
 identification of children with wheezing, 567-570
- Radial artery, cannulation, Doppler ultrasound, 260-262
- Radiography
 abdominal, chewable iron supplement overdose, children, 459-463
 cervical spine evaluation, 139-142
- Raynaud's phenomenon, hypothenar hammer syndrome, 302-306
- Rectal examination, ventricular fibrillation during, 57-60
- Red blood cells, packed, compatibility with intravenous solutions, 162-164
- Renal failure, pulmonary edema and, 336-339
- Respiratory complaints, pulse oximetry, emergency department, 422-425
- Respiratory insufficiency, malignant tracheobronchial obstruction, YAG laser under helium-oxygen administration, 294-296
- Restraints, safety, patterns of motor vehicle injury, 271-277
- Resuscitation
 automatic external defibrillators, use by lay persons, 143-149
 perimortem cesarean section and, 489-494
 sudden cardiac death, influence of emergency medical services on, 68-82
- Rhabdomyolysis, salicylate-induced, 409-410
- Rib, fracture, acute, rib belt in, 97-100
- Rib belt, acute rib fractures, 97-100
- Rifampin, interference with guaiac test, 474-480
- Ringer's lactate, ADSOL-stored red cell compatibility with, 162-164
- Risk factors, multiple, high-altitude pulmonary edema, 426-433
- Safety belts, motor vehicle injury, changing patterns of, 271-277
- Safety restraint laws, New Mexico, 271-277
- Salicylate, rhabdomyolysis induced by, 409-410
- Saline, hypertonic, intravenous fluid therapy of hemorrhagic shock, 357-363
- Saphenous vein, cutdown, ankle, 263-266
- Scintigraphy, thallium, evaluation of chest pain, 321-328
- Scrotum, blunt trauma, 227-234
- Seizures
 antidepressant overdose and, 5-10
 phenytoin medication for, acute overdose and, 61-67
 rectal diazepam, pediatric status epilepticus, 169-172
 toxic, camphor ingestion, 41-43
- Self-referred patients, emergency department, the Netherlands, 632-639
- Serum osmolality, alcohol ingestions, 256-259
- Shock
 see also specific type
 pheochromocytoma presenting as, 44-47
- Sinus tachycardia
 electrocardiography, 612-615
 cyclic antidepressant toxicity, 9-10
- Smoking, illness related to, emergency department analysis, 187-190
- Snake venom
 coral snake, without visible fang marks, 402-405
 detection kits, coral snake envenomation, without visible fang marks, 402-405
 topical ophthalmic exposure, 307-308
- Sodium nitrate, cyanide poisoning, 437-440
- Sorbitol, catharsis, management of theophylline poisoning, 34-37
- Spider bite, necrotic arachnidism, 309-312
- Spleen, spontaneous rupture, 28-31
- Splenomegaly, splenic rupture and, 28-31
- Status asthmaticus, wheezing, identification with pulse oximetry, children, 567-570
- Status epilepticus, pediatric, rectal diazepam in, 169-172
- Streptokinase, infusion, hemorrhagic compression of phrenic nerve, 185-186
- Stroke, thromboembolic, evaluation in emergency department and, 11-15
- Subluxation, jaw, diagnosis and treatment, 329-335
- Sudden cardiac death, emergency medical services and defibrillation effects on survival, 68-82
- Suicide attempts
 analysis of, Houston, Texas, 21-27
 benzotropine overdose, anticholinergic toxicity after, 199-202
 phenytoin overdose, 61-67
- Syncope, during rectal examination, 57-60
- Temperature
 measurement, oral versus rectal, 391-394
 oral, rectal, and tympanic membrane-derived, comparison after ingestions of liquids and smoking, 150-154
- Temporomandibular joint, dislocation, 329-335
- Testicular torsion
 Doppler ultrasound, hand-held, emergency department, 209-215
 emergency department evaluation, 227-234
- Testis, blunt trauma, 227-234
- Tetanus, immunity, emergency department patients, 563-566
- Tetraplegia, locked-in syndrome, 581-583
- Thallium scan, evaluation of chest pain, emergency department, 321-328
- Theophylline
 overdose, lactic acidosis in, 417-418
 poisoning, cathartic-induced magnesium toxicity, 34-37
 therapy, emergency department, 395-401
- Thromboembolic stroke, evaluation in emergency department, before pharmacologic therapy, 11-15
- Thrombolytic therapy, massive pulmonary embolism, 593-597
- Thrombosis, deep venous, Doppler ultrasound, 209-215
- Tobacco, illness related to, emergency department analysis, 187-190
- Tongue, glossal abscess, 406-408
- Toxoplasmosis, CNS, with AIDS, 588-592
- Tracheal obstruction, presenting as new-onset wheezing, 173-176
- Training, triage skills, EMT's, 1-4
- Tranquilization, rapid, violent patient, 313-320
- Trauma
 blunt
 abdominal, open versus closed peritoneal lavage, 352-356, 367-371
 head, cervical spine injuries and, 139-142
 spontaneous rupture of spleen, 28-31
 transfer of victims, helicopter use in, 384-386
- Trauma care, methods of testing EMT's for triage skills, comparison, 1-4
- Triage skills, methods of testing EMT's for, comparison, 1-4
- Trimipramine, overdose, 6-7
- Tumors, pheochromocytoma presenting as shock and, 44-47
- Tympanic membrane, temperature measurement, 150-154

Ulnar artery, aneurysm, hypothenar hammer syndrome, 302-306
 Ultrasonography
 blunt scrotal trauma, 227-234
 Doppler
 hand-held, emergency department use of, 209-215
 radial artery cannulation guided by, 260-262
 emergency department, 605-611
 heterotopic pregnancy, 52
 Urine, testing, subtoxic dose of isopropyl alcohol, 38-40
 Uterus, rupture, unsuspected heterotopic pregnancy, hemorrhagic shock and, 49-53

 Vagal stimulation, ECG, 88-90
 Vapor pressure, serum osmolality, alcohol ingestions, 256-259
 Vascular disease, lower extremities, 83-87
 Vasodilator therapy, pulmonary edema, renal failure patient, 336-339

Venous access, saphenous vein cutdown, ankle, 263-266
 Ventricular beats, premature, ECG, 88-90
 Ventricular fibrillation, *see* Fibrillation, ventricular
 Verapamil
 electrocardiography, 434-436
 massive ingestion, 624-631
 potentiation of cocaine toxicity, 464-468
 Violence, rapid tranquilization of patients, 313-320
 Violent suicide attempts, analysis of, Houston, Texas, 21-27

Wheezing, new-onset, tracheal obstruction presenting as, 173-176
 Wolff-Parkinson-White syndrome, electrocardiography, 434-436

YAG laser, helium-oxygen administration, acute malignant tracheobronchial obstruction, 294-296